Poro Point Management Corporation

A member of the BCDA Group Gov. Joaquin L. Ortega Avenue, Poro City of San Fernando, La Union Tel No. 072 242 0684

Email address: ppmcbacsecretariat@gmail.com

REQUEST FOR QUOTATION

Supply, Delivery,	Installation,	Testing and	Calibration ((PAGASA) o	f Automated	Weather	Observation S	System
					Date:			

Please quote your lowest price for the Supply, Delivery, Installation, Testing and Calibration (PAGASA) of Automated Weather Observation System.

Please take note of the following details.

- 1. The Approved Budget for the Contract (ABC) is Nine Hundred Fifty Thousand Pesos Only and 00/100 (Php 950,000.00).
- 2. Any quotation in excess of the ABC will be automatically rejected.
- 3. Quotation must be submitted on or before August 22, 2023 at 3:00 pm.

For manual submission of quotation, quotation must be submitted in sealed envelope at PPMC Administration Building, Governor Joaquin L. Ortega Avenue, Poro Point Freeport Zone, Poro, City of San Fernando, La Union on or before **August 22, 2023 at 3:00 pm.**

For electronic submission of quotation, submission may be done through electronic mail and proposals must be duly received by the BAC Secretariat through the email address, ppmcbacsecretariat@gmail.com on or before **August 22, 2023 at 3:00 pm.**, provided that the following will be implemented:

a. Use of a two-factor security procedure consisting of an archive format compression and password protection to ensure the security, integrity and confidentiality of the submitted quotation;

Suppliers may use the following for archiving and password protection of the proposals. (Example: WinRar, WinZip)

For the security of quotations submitted, the suppliers may use the following to encrypt their files. (Example: MS Word, Adobe Acrobat)

b. Allow access to a password-protected quotations on opening date and time.

The passwords for accessing the file for the quotations will be disclosed by the suppliers only during the actual opening of quotations which will be on August 22, 2023 at 3:00 pm.

- 4. Mode of Procurement: NP 53.9 Small Value Procurement.
- 5. Suppliers are required to submit the following documents together with their price quotation:
 - Mayor's/Business Permit
 - PhilGEPS Registration Number
 - Latest Income/Business Tax Return

For a new establishment having no annual ITR - most recent quarter's ITR.

For a new establishment with less than six (6) months operations - monthly business tax return filed preceding the date of submission of quotations.

For establishment with more than 1 year operation - Annual Income Tax Return

• Omnibus Sworn Statement (*Please Use the Applicable Form 1*)

PPMC reserves the right to accept or reject any or all of the quotations or formally waive any defect or minor deviations therein, or to accept quotation/s as may be considered most advantageous to the government or to pursue appropriate legal action should the winning supplier refuse to accept the award without justifiable reason/s.

MR. CARLO S. ESCALONA

MS. CHARLOTTE C. BANDOLIN

Procurement Officer

Administrative Officer

Per request, below is/ are the price(s) of the article(s)/ service(s) as indicated in the Unit Price:

Supplier's Name:	
PhilGEPS Registration Number:	

Quantity	Unit	Specifications	Statement of Compliance	Approved Budget of the Contract	Total Cost (VAT – Inclusive)
1	Lot	Supply, Delivery, Installation, Testing and Calibration (PAG-ASA) of Automated Weather Observation System with the Following Minimum Specifications: Wireless Weather Station Measure: Inside Temp, Inside Humidity Barometric Pressure, Wind speed, Wind Direction, Rain, Calculated Dewpoint C/w Console (Receiver) to be placed indoor Transmission distance from outdoor station to console: 300m, inline of sight P/s: Console can be removed, as you can view reading from mobile app or Weatherlink.com cloud with the internet connection Weatherlink Live, WI-FI (to be placed indoor) Access to current conditions, historical data, bulletin, map, chart, data 5 years Subscription Plan Mounting Tripod Delivery, Installation, Testing and Calibration (PAG-ASA) INTEGRATED SENSOR SUITE (ISS) Operating Temperature - 40° to +150°F (-40° to +65°C) Non-operating Temperature - 40° to +158°F (-40° to +70°C) Current Draw (ISS SIM only) 0.14 mA (average), 30 mA (peak) at 4 to 6 VDC Solar Power Panel - 0.5 Watts (ISS SIM), plus 0.75 Watts (Fan-Aspirated) Battery (ISS SIM) /Fan-Aspirated) - CR-123 3-Volt Lithium cell / 2 - 1.2 Volt NiCad C-cells Battery Life (3-Volt Lithium cell) - 8 months without sunlight - greater than 2 years depending on solar charging Battery Life (NiCad C-cells) - 1 year	COMPLY	Php950,000.00	

Fan Aspiration Rate (Fan-Aspirated Only) - 190 feet/min. (0.9 m/s) (full sun), 80 feet/min. (0.4 m/s) (battery only) (intake flow rate) 500 feet/min. (2.5 m/s) (full sun), 280 feet/min. (1.4 m/s) (battery only) (sensor chamber flow rate)

Connectors, Sensor - Modular RJ-11

Cable Type - 4-conductor, 26 AWG Cable Length, Anemometer - 40' (12 m) (included) 540' (165 m) (maximum recommended).

Wind Speed Sensor -Wind cups with magnetic switch

Wind Direction Sensor - Wind vane with potentiometer

Rain Collector Type - Tipping bucket, 0.01" per tip (0.2 mm with metric rain adapter), 33.2 in2 (214 cm2) collection area.

Temperature Sensor Type - PN Junction Silicon Diode

Relative Humidity Sensor Type - Film capacitor element

Housing Material - UV-resistant ABS, ASA plastic ISS Dimensions: Product # (Length x Width x Height) Package Weight 6152 11.00" x 9.38" x 14.00" (279 mm x 238 mm x 355 mm) 5.7 lbs. (2.6 kg) 6162 6.1 lbs. (2.6 kg) 6153 11.00" x 9.38" x 21.00" (279 mm x 238 mm x 533 mm) 8.6 lbs. (3.9 kg) 6163 9 lbs. (4.1 kg)

CONSOLE

Console Operating Temperature - $+32^{\circ}$ to $+140^{\circ}$ F (0° to $+60^{\circ}$ C)

Non-Operating (Storage) Temperature - $+14^{\circ}$ to $+158^{\circ}$ F (-10° to $+70^{\circ}$ C)

Current Draw - 0.9 mA average, 30 mA peak, (add 120 mA for display lamps, add 0.125 mA for each optional wireless transmitter received by the console) at 4 - 6 VDC

AC Power Adapter - 5 VDC, 300 mA, regulated Batteries - 3 C-cells

Battery Life - up to 9 months

Callery Life - up to 9 months

Connectors - Modular RJ-11

Housing Material - UV-resistant ABS plastic Console Display Type - LCD Transflective

Display Backlight - LEDs

Dimensions (console: length x width x height, display length x height)

Console with antenna down - 10.625" x 6.125" x 1.625" (270 mm x 156 mm x 41 mm)

Console with antenna extended up 10.625" x 9.625" x 1.625" (270 mm x 245 mm x 41 mm) Display - 5.94" x 3.375" (151 mm x 86 mm) Weight (with batteries) - 1.88 lbs. (.85 kg)

DATA DISPLAYED ON CONSOLE

Data display categories are listed with General first, then in alphabetical order.

Genera

Historical Data - Includes the past 24 values listed unless otherwise noted; all can be cleared and all totals reset

Daily Data - Includes the earliest time of occurrence of highs and lows; period begins/ends at 12:00 am

Monthly Data - Period begins/ends at 12:00 am on the first of the month

Yearly Data - Period begins/ends at 12:00 am on the first of January unless otherwise noted.

Current Display Data - Current display data describes the current reading for each weather variable. In most cases, the variable lists the most recently updated reading or calculation. Some current variable displays can be adjusted so there is an offset for the reading.

Current Graph Data - Current graph data appears in the right-most column in the console graph and represents the latest value within the last period on the graph; totals can be set or reset. Display intervals vary. Examples include: Instant, 15-min., and Hourly

Reading; Daily, Monthly, High and Low

Graph Time Interval - 1 min., 10 min., 15 min., 1 hour, 1 day, 1 month, 1 year (user-selectable, availability depends upon variable selected)
Graph Time Span - 24 Intervals + Current Interval (see Graph Intervals to determine time span)
Graph Variable Span (Vertical Scale) - Automatic (varies depending upon data range); Maximum and Minimum value in range appear in ticker.
Alarm Indication - Alarms sound for only 2 minutes (time alarm is always 1 minute) if operating on battery power. Alarm message is displayed in ticker as long as threshold is met or exceeded. Alarms can be silenced (but not cleared) by pressing the DONE key.

Transmission Interval - Varies with transmitter ID code from 2.25 seconds (#1=shortest), to 3 seconds (#8=longest)

Update Interval - Varies with sensor - see individual sensor spec

BAROMETRIC PRESSURE

Resolution and Units $\,$ - $\,$ 0.01" Hg, 0.1 mm Hg, 0.1 hPa/mb (user-selectable)

Range $\,$ - 16.00" to 32.50" Hg, 410 to 820 mm Hg, 540 to 1100 hPa/mb

Elevation Range. - -999' to +15,000' (-600 m to 4570 m) (Note that console screen limits entry of lower elevation to -999' when using feet as elevation unit.)

Uncorrected Reading Accuracy - ± 0.03 " Hg (± 0.8 mm Hg, ± 1.0 hPa/mb) (at room temperature) Sea-Level Reduction Equation Used - United States Method employed prior to use of current "R Factor" method 3

Equation Source - Smithsonian Meteorological Tables

Equation Accuracy - ± 0.01 " Hg (± 0.3 mm Hg, ± 0.3 hPa/mb)

Elevation Accuracy Required - ± 10 ' (3m) to meet equation accuracy specification

Overall Accuracy - ± 0.03 " Hg (± 0.8 mm Hg, ± 1.0 hPa/mb)

Trend (change in 3 hours) - Change 0.06" (2 hPa/mb, 1.5 mm Hg) = Rapidly

Change 0.02" (.7hPa/mb, .5 mm Hg)= Slowly
Trend Indication - 5 position arrow: Rising (rapidly
or slowly), Steady, or Falling (rapidly or slowly)
Update Interval - 1 minute or when console BAR
key is pressed twice

Current Display - Instant

Current Graph Data - Instant, 15-min., and Hourly Reading; Daily, Monthly, High and Low Historical Graph Data - 15-min. and Hourly Reading; Daily, Monthly Highs and Lows Alarms - High Threshold from Current Trend for Storm Clearing (Rising Trend Low Threshold from Current Trend for Storm Warning (Falling Trend) Range for Rising and Falling Trend Alarms - 0.01 to 0.25" Hg (0.1 to 6.4 mm Hg, 0.1 to 8.5 hPa/mb)

WIND

Wind Direction

Range - 0 - 360°

Display Resolution - 16 points (22.5°) on compass rose, 1° in numeric display

Accuracy - ±3°

Update Interval - 2.5 to 3 seconds

Current Display Data - Instant (user-adjustable offset available)

Current Graph Data - Instant; 10-min. Dominant; Hourly, Daily, Monthly Dominant

Historical Graph Data - Past 6 10-min. Dominants on compass rose only; Hourly, Daily, Monthly Dominants

Wind Speed

Resolution and Units - 1 mph, 1 km/h, 0.4 m/s, or 1 knot (user-selectable). Measured in mph, other units are converted from mph and rounded to nearest 1 km/hr, 0.1 m/s, or 1 knot.

Range - 2 to 180 mph, 2 to 156 knots, 1 to 80 m/s, 3 to 290 km/h

Update Interval - Instant Reading: 2.5 to 3 seconds, 10-minute Average: 1 minute

Accuracy - ±2 mph (2 kts, 3 km/h, 1 m/s) or ±5%, whichever is greater

Maximum Cable Length - 540' (165 m)

Current Display Data - Instant

Current Graph Data - Instant; 10-minute and Hourly Average; Hourly High; Daily, Monthly and Yearly High with Direction of High

Historical Graph Data - 10-min. and Hourly

Averages; Hourly Highs; Daily, Monthly and Yearly Highs with Direction of Highs

Alarms - High Thresholds from Instant Reading and 10-minute Average

TEMPERATURE

Inside Temperature (sensor located in console)
Resolution and Units. - Current Data: 0.1°F or 1°F
or 0.1°C or 1°C (user-selectable) °C is converted
from °F rounded to the nearest 1°C
Historical Data and Alarms: 1°F or 1°C (user-

selectable)

Range - $+32^{\circ}$ to $+140^{\circ}$ F (0° to $+60^{\circ}$ C)

Sensor Accuracy - $\pm 1^{\circ}F$ ($\pm 0.5^{\circ}C$)

Update Interval - 1 minute

Current Display Data - Instant (user-adjustable offset available)

Current Graph Data - nstant Reading; Daily and

Monthly High and Low

Historical Graph Data - Hourly Readings; Daily and Monthly Highs and Lows

Alarms - High and Low Thresholds from Instant Reading

RAINFALL

Resolution and Units - 0.01" or 0.2 mm (userselectable) (1 mm at totals □ 2000 mm)

Daily/Storm Rainfall Range - 0 to 99.99" (0 to 999.8 mm)

Monthly/Yearly/Total Rainfall Range - 0 to 199.99" (0 to 6553 mm)

Rain Rate - 0 to 96" (0 to 2438 mm)

Accuracy - For rain rates up to 2"/hr (50 mm/hr): $\pm 4\%$ of total or +0.01" (0.2mm) (0.01" = one

tip of the bucket), whichever is greater. For rain rates from 2"/hr (50 mm/hr) to 4"/

hr (100 mm/hr): ±4% of total or +0.01" (0.25 mm) (0.01" = one tip of the bucket),

whichever is greater

Update Interval - 20 to 24 seconds

Storm Determination Method - 0.02" (0.5 mm)

begins a storm event, 24 hours without further accumulation ends a storm event

Current Display Data - Totals for Past 15-min

Current Graph Data - Totals for Past 15-min, Past

24-hour, Daily, Monthly, Yearly (start date userselectable) and Storm (with begin date);

Umbrella is displayed when 15-minute total exceeds

Historical Graph Data - Totals for 15-min, Daily, Monthly, Yearly (start date user-selectable) and Storm (with begin and end dates)

Alarms - High Threshold from Latest Flash Flood (15-min. total, default is 0.50", 12.7 mm), 24-Hour Total, Storm Total,

Range for Rain Alarms - 0 to 99.99" (0 to 999.7 mm)

RAIN RATE

Resolution and Units - 0.01" or 0.1 mm (userselectable) at typical rates

Range - 0, 0.04"/hr (1 mm/hr) to 96"/hr (0 to 2438 mm/hr)

Accuracy - $\pm 5\%$ for rates less than 5" per hour (127) mm/hr)

Update Interval - 20 to 24 seconds

Calculation Method - Measures time between successive tips of tipping bucket. Elapsed time greater

than 15 minutes or only one tip of the rain collector constitutes a rain rate of zero.

Current Display Data - Instant

Current Graph Data - Instant and 1-min. Reading;

Hourly, Daily, Monthly and Yearly High

Historical Graph Data - 1-min Reading; Hourly,

Daily, Monthly and Yearly Highs

Alarm - High Threshold from Instant Reading

HUMIDITY

Inside Relative Humidity (sensor located in console) Resolution and Units - 1%

Range - 1 to 100% RH

Accuracy - ±3% (0 to 90% RH), ±4% (90 to 100%

Update Interval - 1 minute

Current Display Data - Instant (user-adjustable offset available)

Current Graph Data - Instant; Hourly Reading;

Daily, Monthly High and Low

Historical Graph Data - Hourly Readings; Daily,

Monthly Highs and Lows

Alarms - High and Low Threshold from Instant Reading

DEWPOINT (CALCULATED) Resolution and Units - 1°F or 1°C (user-selectable) °C is converted from °F rounded to the nearest 1°C Range - -105° to $+130^{\circ}$ F (-76° to +54°C) Accuracy - $\pm 3^{\circ}F$ ($\pm 1.5^{\circ}C$) (typical) Update Interval - 10 to 12 seconds Source - World Meteorological Organization (WMO) Equation Used - WMO Equation with respect to saturation of moist air over water Variables Used - Instant Outside Temperature and Instant Outside Relative Humidity Current Display Data - Instant Calculation Current Graph Data - Instant Calculation; Daily, Monthly High and Low Historical Graph Data - Hourly Calculations; Daily, Monthly Highs and Lows Alarms - High and Low Threshold from Instant Calculation WARRANTY One (1) Year warranty pursuant to Section 62 of the Updated 2016 Revised Implementing Rules and Regulations of RA 9184 **OTHERS** After Sales Service and Support during the warranty period: Manufacturing defects shall be completely/satisfactorily repaired/replaced by the winning supplier within 72 hours after receipt of a verbal and/or written notice from the procuring entity. After the warranty period, spare parts or components shall be supplied as promptly as possible, but in any case, within one month upon placing the order. Spare parts shall be available in the Philippine market. **NOTE TO SUPPLIERS** The supplier may offer more superior specifications at no additional cost to PPMC. TERMS AND CONDITIONS: **Payment Term** 30 Days 90 Working Days from Receipt of Purchase Order **Delivery Period Price Validity 30 Calendar Days** One (1) Year Warranty pursuant to Section 62 of the Updated 2016 Warranty Revised Implementing Rules and Regulations of RA 9184 We hereby certify that we have prepared, checked and reviewed this quotation. This quotation is valid unless revoked in writing which should be made prior to our receipt of your Purchase Order.

Name of Authorized Representative

Position Title/ Designation

Signature

OMNIBUS SWORN STATEMENT

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF)	S.S.

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
 - 1. I am the sole proprietor or authorized representative of [*Name of Bidder*] with office address at [address of Bidder];
 - 2. As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing Purchase Order for the Supply, Delivery, Installation, Testing and Calibration (PAG ASA) of Automated Weather Observation System, as shown in the attached duly notarized Special Power of Attorney;
 - 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
 - 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
 - 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
 - 6. The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
 - 7. [Name of Bidder] complies with existing labor laws and standards; and
 - 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the Procurement of Supply, Delivery, Installation, Testing and Calibration (PAG ASA) of Automated Weather Observation System.
 - 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or

any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

f the
ninal c
se of
on or the
f Act
Act
)23
ATIVE]
023 at ne and
iles on
_, with
_and
at_

OMNIBUS SWORN STATEMENT

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S	S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
 - 1. I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];
 - 2. I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing Purchase Order for the Supply, Delivery, Installation, Testing and Calibration (PAG ASA) of Automated Weather Observation System, as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
 - 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
 - 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
 - 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
 - 6. None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
 - 7. [Name of Bidder] complies with existing labor laws and standards; and
 - 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the Procurement of Supply, Delivery, Installation, Testing and Calibration (PAG ASA) of Automated Weather Observation System.

- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunt, Philippines.	o set my ha	nd this	day of	, 2023 at
[Insert NAMI		ER OR ITS A t signatory's I Affia	egal capacity	O REPRESENTATIVE]
SUBSCRIBED AND SWORN to bef	ilippines.	Affiant/s is/a	are personal	ly known to me and
was/were identified by me through compete Notarial Practice (A.M. No. 02-8-13-SC).				
his/her photograph and signature appearing the				
his/her Community Tax Certificate No		issued on		at
		·		
Witness my hand and seal thisday of _			_2023.	
NAME OF NOTARY PUBLIC				
Serial No. of Commission				
Notary Public for until Roll of Attorneys No				
PTR No				
IBP No	-			

Doc No. _____ Page No. ____ Book No. ____ Series of 2023

OMNIBUS SWORN STATEMENT

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) ;	S.S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
 - 1. I am the duly authorized and designated representative of [*Name of Bidder*] with office address at [*address of Bidder*];
 - 2. I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing Purchase Order for the Supply, Delivery, Installation, Testing and Calibration (PAG ASA) of Automated Weather Observation System, as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
 - 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
 - 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
 - 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
 - 6. None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
 - 7. [Name of Bidder] complies with existing labor laws and standards; and
 - 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the Procurement of Supply, Delivery, Installation, Testing and Calibration (PAG ASA) of Automated Weather

Observation System.

- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

at, Philip	•	day of	, 2023
[Insert NAME	-	HORIZED REPRESE y's legal capacity] Affiant	ENTATIVE]
SUBSCRIBED AND SWORN to			
was/were identified by me through co	-	•	
Notarial Practice (A.M. No. 02-8-13-5			
his/her photograph and signature appe his/her Community Tax Certificate No			
Witness my hand and seal thisd	lay of	2023.	
NAME OF NOTARY PUBLIC			
Serial No. of Commission			
Notary Public for until			
Roll of Attorneys No.			
PTR No	-		
IDD M			

Doc No. _____ Page No. ____ Book No. ____ Series of 2023